



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*El Paso, Tex., February 15, 1902—Inspection service.*—I have the honor to submit herewith summary of transactions at this station for the week ended February 15, 1902: Inspection of Mexican Central Railroad passengers, 246; inspection of Rio Grande and Pacific Railroad passengers, 13; inspection of immigrants, 155; inspection of excursion party from Mexico, 75. Among the excursionists was a man of some 55 years of age, with phlegmonous erysipelas. I recommended that the patient be transferred to a private hospital, and that the compartment occupied by him in the Pullman be disinfected. Vaccination of immigrant children, 12.

E. ALEXANDER,  
*Acting Assistant Surgeon, U. S. M. H. S.*

*Laredo, Tex., February 13, 1902—Inspection service.*—I have the honor to submit the following inspection report for the week ended February 8, 1902: Number of trains from Mexico inspected, 14; persons on trains from Mexico inspected and passed, 429; immigrants inspected and passed, 68; immigrants vaccinated upon entry, 25.

*Laredo, Tex., February 15, 1902—Inspection service.*—I have the honor to submit the following report of inspection for the week ended February 15, 1902: Number of passenger trains from Mexico inspected, 14; persons on passenger trains from Mexico inspected and passed, 441; immigrants inspected and passed, 29; immigrants vaccinated upon entry, 11.

H. J. HAMILTON,  
*Acting Assistant Surgeon, U. S. M. H. S.*

*Statistical reports of States and cities of the United States—Yearly and monthly.*

CALIFORNIA—*Oakland.*—Month of January, 1902. Estimated population, 75,000. Total number of deaths, 102, including diphtheria, 1; scarlet fever, 2, and 14 from tuberculosis.

*Sacramento.*—Month of January, 1902. Estimated population, 30,000. Total number of deaths, 39, including diphtheria, 1; enteric fever, 1, and 2 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of January, 1902, from 168 towns having an aggregate census population of 908,355, show a total of 1,172 deaths, including diphtheria, 31; enteric fever, 10; scarlet fever, 19; whooping cough, 9; smallpox, 3, and 123 from phthisis pulmonalis.

INDIANA—*Evansville.*—Month of January, 1902. Estimated population, 65,000. Total number of deaths, 66, including diphtheria, 1; enteric fever, 1; whooping cough, 1, and 12 from tuberculosis.

LOUISIANA—*New Orleans.*—Month of January, 1902. Estimated population, 305,000—white, 223,500; colored, 81,500. Total number of deaths, 606—white, 378; colored, 228—including diphtheria, 6; enteric fever, 8; scarlet fever, 4; smallpox, 4, and 94 from tuberculosis.

MARYLAND—*Baltimore.*—Month of January, 1902. Estimated population, 525,000—white, 445,000; colored, 80,000. Total number of deaths, 912—white, 689; colored, 223—including diphtheria, 15; enteric fever, 10; scarlet fever, 3; whooping cough, 4, and 111 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended February 15, 1902, from 79 observers, indicate that phthisis pulmonalis, diarrhea, intermittent fever, meningitis, and diphtheria were more prevalent, and measles, dysentery, and remittent fever were less prevalent than in the preceding week. Meningitis was reported present at 9, whooping cough at 21, diphtheria at 27, enteric fever at 51, measles at 67, scarlet fever at 124, smallpox at 157, and phthisis pulmonalis at 211 places.

MINNESOTA—*Minneapolis*.—Month of January, 1902. Estimated population, 240,000. Total number of deaths, 185, including diphtheria, 6; enteric fever, 3; scarlet fever, 2; whooping cough, 1, and 26 from tuberculosis.

NEW HAMPSHIRE—*Manchester*.—Month of January, 1902. Census population, 56,987. Total number of deaths, 88, including enteric fever, 1; whooping cough, 2, and 5 from phthisis pulmonalis.

NEW YORK—*Yonkers*.—Month of January, 1902. Estimated population, 50,000. Total number of deaths, 71, including diphtheria, 4, and 4 from phthisis pulmonalis.

OHIO—*Zanesville*.—Month of January, 1902. Estimated population, 28,000. Total number of deaths, 47, including diphtheria, 8; enteric fever, 1; scarlet fever, 1, and 4 from tuberculosis.

OREGON—*Portland*.—Month of January, 1902. Census population, 90,426. Total number of deaths, 87, including diphtheria, 2; enteric fever, 1; scarlet fever, 1, and 5 from tuberculosis.

PENNSYLVANIA—*Scranton*.—Month of January, 1902. Census population, 102,026. Total number of deaths, 140, including diphtheria, 2; enteric fever, 1; scarlet fever, 1; whooping cough, 3; smallpox, 1, and 11 from tuberculosis.

TENNESSEE—*Nashville*.—Month of January, 1902. Estimated population, 81,320—white, 51,128; colored, 30,192. Total number of deaths, 170, including diphtheria, 1; enteric fever, 2, and 30 from tuberculosis.

TEXAS—*Fort Worth*.—Month of January, 1902. Estimated population, 32,000. Total number of deaths not reported. One death from enteric fever and 5 deaths from tuberculosis reported.

UTAH—*Ogden*.—Month of January, 1902. Estimated population, 18,000. Total number of deaths, 18. No deaths from contagious diseases.

*Salt Lake City*—Month of January, 1902. Census population, 53,531. Total number of deaths, 61, including diphtheria, 2; enteric fever, 2, and 3 from phthisis pulmonalis.

VIRGINIA—*Alexandria*.—Month of January, 1902. Estimated population, 15,000. Total number of deaths, 36, including whooping cough, 2, and 3 from phthisis pulmonalis.

WISCONSIN—*Superior*.—Year ended December 31, 1901. Estimated population, 32,000. Total number of deaths, 449, including diphtheria, 8; enteric fever, 16; measles, 1; scarlet fever, 2, and 33 from tuberculosis.